For Research Use Only

PE Anti-Human CD8a (OKT8)

Catalog Number: PE-65135





Basic Information	Catalog Number: PE-65135	GenBank Accession Number: BC025715	Purification Method: Affinity purification			
	Concentration: 100tests, 5 ul/test	GeneID (NCBI): 925	CloneNo.: OKT8			
	Source: Mouse Isotype: IgG2a, kappa	ENSEMBL Gene ID: ENSG00000153563 UNIPROT ID: P01732 Full Name: CD8a molecule	Excitation/Emission maxima wavelengths: 496 nm, 565 nm / 578 nm			
				Calculated MW: 235 aa, 26 kDa		
				Applications	Tested Applications: FC	
		Species Specificity: human				
Background Informatior	CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8 α or as a heterodimer of CD8 α and CD8 β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8 α β heterodimer while CD8 α α homodimers alone have been found on some gut intraepithelial T cells, on some T cell receptor (TCR) γ δ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).					
Storage	Storage: Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide and 0.5% BSA, pH7.3					

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





1x10^{^6} human PBMCs were surface stained with CoraLite® Plus 750 Anti-Human CD3, and 5 ul PE Anti-Human CD8a (OKT8) (PE-65135, Clone: OKT8) or PE Mouse IgG2a Isotype Control (C1.18.4) (PE-65208, Clone: C1.18.4). Cells were not fixed.

1x10[^]6 human PBMCs were surface stained with 5 ul PE Anti-Human CD8a (OKT8) (PE-65135, Clone: OKT8) or PE Mouse IgG2a Isotype Control (C1.18.4) (PE-65208, Clone: C1.18.4). Cells were not fixed.