

For Research Use Only

# PE Anti-Mouse PD-1/CD279 (RMP1-30)

Catalog Number: PE-65142



## Basic Information

Catalog Number:	GenBank Accession Number:	Purification Method:
PE-65142	BC119179	Affinity purification
Size:	GeneID (NCBI):	CloneNo.:
100ug, 200 ug/ml	18566	RMP1-30
Source:	UNIPROT ID:	Excitation/Emission maxima
Rat	Q02242	wavelengths:
Isotype:	Full Name:	496 nm, 565 nm / 578 nm
IgG2b, kappa	programmed cell death 1	

## Applications

Tested Applications:  
FC

Species Specificity:  
mouse

## Background Information

Programmed cell death 1 (PD-1, also known as CD279) is an immunoinhibitory receptor that belongs to the CD28/CTLA-4 subfamily of the Ig superfamily. It is a 288 amino acid (aa) type I transmembrane protein composed of one Ig superfamily domain, a stalk, a transmembrane domain, and an intracellular domain containing an immunoreceptor tyrosine-based inhibitory motif (ITIM) as well as an immunoreceptor tyrosine-based switch motif (ITSM) (PMID: 18173375). PD-1 is expressed during thymic development and is induced in a variety of hematopoietic cells in the periphery by antigen receptor signaling and cytokines (PMID: 20636820). Engagement of PD-1 by its ligands PD-L1 or PD-L2 transduces a signal that inhibits T-cell proliferation, cytokine production, and cytolytic function (PMID: 19426218). It is critical for the regulation of T cell function during immunity and tolerance. Blockade of PD-1 can overcome immune resistance and also has been shown to have antitumor activity (PMID: 22658127; 23169436).

## Storage

Storage:  
Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:  
PBS with 0.09% sodium azide and 0.5% BSA.

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)

W: [ptgcn.com](http://ptgcn.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



1X10<sup>6</sup> untreated or anti-CD3/CD28 treated (2 days) mouse splenocytes were surface stained with 0.2 ug PE Anti-Mouse PD-1/CD279 (PE-65142, Clone: RMP1-30) and 0.2 ug CoraLite® Plus 647 Anti-Mouse CD3 (17A2) (CL647-65077, Clone: 17A2). Cells were not fixed.