For Research Use Only

PE Anti-Human CD8 (UCHT4)

Catalog Number:PE-65204 1 Publications



Basic Information

Catalog Number:

Purification Method: Protein A purification

PE-65204 Size:

Source:

lgG2a

GeneID (NCBI):

GenBank Accession Number:

CloneNo.:

UCHT4

100tests, 5 ul/test

ENSEMBL Gene ID:

BC025715

Excitation/Emission maxima wavelengths:

Mouse Isotype: ENSG00000153563 UNIPROT ID: P01732

Full Name: CD8a molecule Calculated MW: 235 aa, 26 kDa

496 nm, 565 nm / 578 nm

Applications

Tested Applications:

FC

Species Specificity:

Human

Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8 α or as a heterodimer of CD8 α and CD8 β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8 α β heterodimer while CD8 α α homodimers alone have been found on some gut intraepithelial T cells , on some T cell receptor (TCR) γ δ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+T cells (PMID: 1968084).

Notable Publications

Author **Pubmed ID** Application Journal Qian Gou 38844134 J Biol Chem


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with APC Anti-Human CD3 and 5 ul PE Anti-Human CD8 (PE-65204, Clone:UCHT4) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul PE Anti-Human CD8 (PE-65204, Clone:UCHT4) (red) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.