For Research Use Only

PE Anti-Mouse CD11c (N418) Mouse IgG2a Recombinant Antibody

Catalog Number: PE-65602



Basic Information

Catalog Number:

PE-65602

Size: 100ug, 200 μg/ml

Source: Mouse

Isotype: IgG2a GenBank Accession Number:

BC167225 GenelD (NCBI): 16411

Full Name: integrin alpha X

Purification Method:

Protein A purification

CloneNo.: N418

Excitation/Emission maxima wavelengths:

496 nm, 565 nm / 578 nm

Applications

Tested Applications:

FC

Species Specificity:

mouse

Background Information

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated α and β subunits (PMID: 9779984). CD11c, also known as integrin α X, is a type I transmembrane glycoprotein present on a variety of cells, including monocytes/macrophages, granulocytes, a subset of B cells, NK cells and dendritic cells (PMID: 2897326; 1680915; 1694698; 17389580). As a result of its high level of expression on most dendritic cells, CD11c is typically considered to be a marker of conventional dendritic cells (PMID: 27119555). CD11c forms an α / β heterodimer with CD18 (integrin β 2). CD11c/CD18 acts a receptor for fibrinogen and is important in monocyte adhesion and chemotaxis (PMID: 1671533).

Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA.

Selected Validation Data



1x10^6 mouse splenocytes were surface stained with 0.1 ug PE Anti-Mouse CD11c (N418) Mouse IgG2a Recombinant Antibody (PE-65602, Clone: N418) or 0.1 ug PE Mouse IgG2a Isotype Control (C1.18.4) (PE-65208, Clone: C1.18.4). Cells were costained with APC Anti-Mouse MHC Class II (I-A/I-E) (M5/114.15.2) (APC-65122, Clone: M5/114.15.2). Cells were not fixed.