For Research Use Only

Basic Informatio

Applications

Background Info

PE-conjuga tod TCF Rot antibody

Catalog Number:PE

ated -		Recombinant	proteintech® Antibodies ELISA kits Proteins Uni-rAb www.ptglab.com	
on	Catalog Number: PE-81746-2	GenBank Accession Number: BC000125	Purification Method: Protein A purification	
	Concentration: 200 ug/ml	GenelD (NCBI): 7040	CloneNo.: 230544B7	
	Source: Rabbit	UNIPROT ID: P01137	Recommended Dilutions: IF/ICC 1:50-1:500	
	Isotype: IgG Immunogen Catalog Number: AG13591	Full Name: transforming growth factor, beta 1	Excitation/Emission maxima wavelengths: 496 nm, 565 nm / 578 nm	
		Calculated MW: 44 kDa		
		Observed MW: 44 kDa		
	Tested Applications:	Positive Controls:		
	IF/ICC, FC (Intra) Species Specificity: human, mouse	IF/ICC : HEK	:K-293 cells,	
ormation	other functions in many cell types	ITGFB1, is a multifunctional peptide that controls proliferation, differentiation, and ypes. TGFB acts synergistically with TGFA in inducing transformation. It also acts as a ctor. Divergulation of TGFB activation and signaling may result in apontosis. Many		

negative autocrine growth factor. Dysregulation of TGFB activation and signaling may result in apoptosis. Many cells synthesize TGFB and almost all of them have specific receptors for it. TGFB positively and negatively regulates many other growth factors. It plays an important role in bone remodeling as it is a potent stimulator of osteoblastic bone formation, causing chemotaxis, proliferation and differentiation in committed osteoblasts. It is highly expressed in bone. Mutation of TGFB are the cause of Camurati-Engelmann disease (CED) which known as progressive diaphyseal dysplasia 1 (DPD1). Full-length, inactive 44 kD TGFB1 is cleaved into mature TGFB1 (13 kD). TGFB1 also homodimerizes and heterodimerizes with TGFB2, so there is potential for multiple different band sizes in WB (12, 25, 45 to 65 kDa).


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 0.09% sodium azide and 0.5% BSA.

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HEK-293 cells using PE TGF Beta 1 antibody (PE-81746-2, Clone: 230544B7) at dilution of 1:200.



1x10^6 HEK-293 cells were intracellularly stained with 5 ul PE TGF Beta 1 Recombinant Antibody (PE-81746-2, Clone:23054487)(red), or 5 ul PE Rabbit IgG Isotype Control RecAb (PE-98136, Clone: 240953C9) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).