For Research Use Only

## PE Anti-Mouse CD34 Rabbit Recombinant Antibody

Catalog Number: PE-98069



**Purification Method:** 

Protein A purification

**Basic Information** 

Catalog Number: GenBank Accession Number: PE-98069 NM\_133654

 Concentration:
 GeneID (NCBI):
 CloneNo.:

 100ug, 200 µ g/ml
 12490
 240659B11

Source:UNIPROT ID:Recommended Dilutions:RabbitQ64314FC: 0.1 ug per 10^6 cells in a 100 μl

Isotype: Full Name: suspension

gG CD34 antigen Excitation/Emission maxima
mmunogen Catalog Number Calculated MW: wavelengths:

Immunogen Catalog Number:Calculated MW:wavelengths:EG085441 kDa496 nm, 565 nm / 578 nm

Applications

Tested Applications:

Species Specificity:

mouse

**Positive Controls:** 

FC: mouse bone marrow cells,

## **Background Information**

CD34 is a 105- to 120-kDa glycophosphoprotein expressed on the majority of hematopoietic stem/progenitor cells, bone marrow stromal cells, capillary endothelial cells, embryonic fibroblasts, and some nerve tissue. CD34 is a commonly used marker for identifying human hematopoietic stem/progenitor cells and mediates cell adhesion and lymphocyte homing by binding L-selectin and E-selectin ligands. CD34 is also one of the best negative selection markers for characterizing and/or isolating human MSCs from bone marrow and other sources. Along with other positive selection markers (such as CD29, CD44, CD90, CD105 and CD166), negative selection markers (such as CD34 and CD45) are used for MSC identification.


Storage


Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer.


PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

## Selected Validation Data





1x10^6 mouse bone marrow cells were surface stained with 0.1 ug PE Anti-Mouse CD34 Rabbit RecAb (PE-98069, Clone: 240659B11) or PE Rabbit IgG Isotype Control RecAb (PE-98136, Clone: 240953C9). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.



1x10^6 mouse bone marrow cells were surface stained with 0.1 ug PE Anti-Mouse CD34 Rabbit RecAb (PE-98069, Clone: 240659B11) (red) or PE Rabbit I gG Isotype Control RecAb (PE-98136, Clone: 240953C9) (blue). Cells were incubated with FC Receptor Block prior to staining. Cells were not fixed.