For Research Use Only

FcZero-rAb™ PE Anti-Human PD-1/CD279 (EH12.2H7) Rabbit IgG Recombinant Antibody



Catalog Number: PE-FcA65586

Basic Information

Catalog Number:
PE-FcA65586
Concentration:

100tests, 5 ul/test Source: Rabbit

Isotype:

GenBank Accession Number: BC074740

GeneID (NCBI): 5133

programmed cell death 1

Calculated MW: 288 aa, 32 kDa

Full Name:

Purification Method: Protein A purification

CloneNo.: EH12.2H7

Excitation/Emission maxima wavelengths:

496 nm, 565 nm / 578 nm

Applications

Tested Applications:

FC

Species Specificity:

human

Background Information

Programmed cell death 1 (PD-1, also known as CD279) is an immunoinhibitory receptor that belongs to the CD28/CTLA-4 subfamily of the Ig superfamily. It is a 288 amino acid (aa) type I transmembrane protein composed of one Ig superfamily domain, a stalk, a transmembrane domain, and an intracellular domain containing an immunoreceptor tyrosine-based inhibitory motif (ITIM) as well as an immunoreceptor tyrosine-based switch motif (ITSM) (PMID: 18173375). PD-1 is expressed during thymic development and is induced in a variety of hematopoietic cells in the periphery by antigen receptor signaling and cytokines (PMID: 20636820). Engagement of PD-1 by its ligands PD-L1 or PD-L2 transduces a signal that inhibits T-cell proliferation, cytokine production, and cytolytic function (PMID: 19426218). It is critical for the regulation of T cell function during immunity and tolerance. Blockade of PD-1 can overcome immune resistance and also has been shown to have antitumor activity (PMID: 22658127; 23169436).


Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1x10^6 untread or PHA treated human PBMCs were surface stained with FcZero-rAb™ APC Anti-Human CD3 (UCHT1) and 5 ul FcZero-rAb™ PE Anti-Human PD-1/CD279 (EH12.2H7) Rabbit IgG RecAb (PE-FcA65586, Clone:EH12.2H7). Cells were not fixed.