

For Research Use Only

FcZero-rAb® PE-Cyanine5.5 Anti-Rat CD8a (OX-8) Rabbit Recombinant Antibody

Catalog Number: PY5P5-FcA65577



Basic Information

Catalog Number:

PY5P5-FcA65577

Concentration:

100ug, 500 ug/ml

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

BC088126

GeneID (NCBI):

24930

UNIPROT ID:

P07725

Full Name:

CD8a molecule

Purification Method:

Protein A purification

CloneNo.:

OX-8

Recommended Dilutions:

FC: 0.25 ug per 10⁶ cells in a 100 µl suspension

Excitation/Emission maxima wavelengths:

496 nm, 565 nm / 692 nm

Applications

Tested Applications:

FC

Species Specificity:

rat

Positive Controls:

FC : rat splenocytes,

Background Information

CD8 is a transmembrane glycoprotein composed of two disulfide-linked chains. It can be present as a homodimer of CD8 α or as a heterodimer of CD8 α and CD8 β (PMID: 3264320; 8253791). CD8 is found on most thymocytes. The majority of class I-restricted T cells express mostly the CD8 α β heterodimer while CD8 α α homodimers alone have been found on some gut intraepithelial T cells, on some T cell receptor (TCR) γ δ T cells and on NK cells (PMID: 2111591; 1831127; 8420975). CD8 acts as a co-receptor that binds to MHC class-I and participates in cytotoxic T cell activation (PMID: 8499079). During T cell development, CD8 is required for positive selection of CD4-/CD8+ T cells (PMID: 1968084).

Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10⁶ rat splenocytes were surface stained with CoraLite® Plus 405 Anti-Rat CD4, and 0.25 ug PE-Cyanine5.5 Anti-Rat CD8a (OX-8) Rabbit RecAb (PY5P5-FcA65577, Clone: OX-8) or 0.25 ug Rabbit IgG Isotype Control RecAb (PY5P5-FcA98136, Clone: 240953C9). Cells were not fixed.



1x10⁶ rat splenocytes were surface stained with 0.25 ug PE-Cyanine5.5 Anti-Rat CD8a (OX-8) Rabbit RecAb (PY5P5-FcA65577, Clone: OX-8) (red) or 0.25 ug Rabbit IgG Isotype Control RecAb (PY5P5-FcA98136, Clone: 240953C9) (blue). Cells were not fixed.