For Research Use Only

FcZero-rAb™ PE-Cyanine7 Anti-Human CD4 (OKT4) Rabbiť IgG Recombinant Antibody



Catalog Number: PY7-FcA65603

Basic Information

Catalog Number: PY7-FcA65603 Concentration: 100tests, 5 ul/test

Source: Rabbit Isotype:

GeneID (NCBI): 920 ENSEMBL Gene ID: ENSG0000010610 UNIPROT ID: P01730 Full Name: CD4 molecule Calculated MW:

GenBank Accession Number:

BC025782

55 kDa

Purification Method: Protein A purification

CloneNo.: OKT4

Recommended Dilutions: FC: 5 ul per 10^6 cells in a 100 µl suspension

Excitation/Emission maxima wavelengths: 450-500 nm / 778 nm

Applications

Tested Applications:

Species Specificity:

human

Positive Controls:

FC: human PBMCs,

Background Information


CD19 is a 95 kDa type I transmembrane glycoprotein belonging to the immunoglobulin superfamily (PMID: 2472450). It is expressed by B cells and follicular dendritic cells. CD19 is up-regulated at the step of B-lineage commitment during the differentiation of the hematopoietic stem cell, it remains on during subsequent stages of differentiation until finally down-regulated during terminal differentiation into plasma cells (PMID: 8528044). CD19 is involved in B cell development, activation and differentiation. It is the dominant component for the signaling complex on B cells that includes CD21 (CR2), CD81 (TAPA-1) and CD225 and acts as a critical co-receptor for BCR signal transduction (PMID: 23210908).

Storage


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1x10^6 human PBMCs were surface stained with FcZero-rAb™ CoraLite® Plus 488 Anti-Human CD3 (OKT3), and 5 ul PE-Cyanine7 Anti-Human CD4 (OKT4) Rabbit IgG RecAb (PY7-FcA65603, Clone:OKT4) or FcZero-rAb™ PE-Cyanine7 Rabbit IgG Isotype Control Recombinant Antibody (PY7-FcA98136, Clone: 240953C9). Cells were incubated with MonoZero™ Monocytes blocking Reagent (PF00020) prior to staining. Cells were not fixed. Lymphocytes were gated.



1x10^6 human PBMCs were surface stained with 5 ul PE-Cyanine7 Anti-Human CD4 (OKT4) Rabbit IgG RecAb (PY7-FcA65603, Clone:OKT4) (red) or FcZerorAb™ PE-Cyanine7 Rabbit IgG Isotype Control Recombinant Antibody (PY7-FcA98136, Clone: 240953C9) (blue). Cells were incubated with MonoZero™ Monocytes blocking Reagent (PF00020) prior to staining. Cells were not fixed. Lymphocytes were gated.