

For Research Use Only

FcZero-rAb® PE-Cyanine7 Anti-Mouse CD19 Rabbit Recombinant Antibody

Catalog Number:PY7-FcA98287



Basic Information

Catalog Number:

PY7-FcA98287

Concentration:

100ug, 200 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

EG3194

GenBank Accession Number:

NM_009844.2

GeneID (NCBI):

12478

UNIPROT ID:

P25918

Full Name:

CD19 antigen

Calculated MW:

60 kDa

Purification Method:

Protein A purification

CloneNo.:

242301C6

Recommended Dilutions:

FC: 0.25 ug per 10⁶ cells in a 100 µl suspension

Excitation/Emission maxima wavelengths:

496 nm, 565 nm / 778 nm

Applications

Tested Applications:

FC

Species Specificity:

mouse

Positive Controls:

FC : mouse splenocytes,

Background Information

CD19 is a 95 kDa type I transmembrane glycoprotein belonging to the immunoglobulin superfamily (PMID: 2472450). It is expressed by B cells and follicular dendritic cells. CD19 is up-regulated at the step of B-lineage commitment during the differentiation of the hematopoietic stem cell, it remains on during subsequent stages of differentiation until finally down-regulated during terminal differentiation into plasma cells (PMID: 8528044). CD19 is involved in B cell development, activation and differentiation. It is the dominant component for the signaling complex on B cells that includes CD21 (CR2), CD81 (TAPA-1) and CD225 and acts as a critical co-receptor for BCR signal transduction (PMID: 23210908).

Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10⁶ mouse splenocytes were surface stained with Coralite® Plus 488 Anti-Mouse CD3e (145-2C11), and 0.25 ug PE-Cyanine7 Anti-Mouse CD19 Rabbit RecAb (PY7-FcA98287, Clone: 242301C6) or 0.25 ug Rabbit IgG Isotype Control RecAb (PY7-FcA98136, Clone: 240953C9). Cells were incubated with MonoZero™ Monocytes blocking Reagent (PF00020) prior to staining. Cells were not fixed.



1x10⁶ mouse splenocytes were surface stained with 0.25 ug PE-Cyanine7 Anti-Mouse CD19 Rabbit RecAb (PY7-FcA98287, Clone: 242301C6) (red) or 0.25 ug Rabbit IgG Isotype Control RecAb (PY7-FcA98136, Clone: 240953C9) (blue). Cells were incubated with MonoZero™ Monocytes blocking Reagent (PF00020) prior to staining. Cells were not fixed.