

For Research Use Only

Multi-rAb™ CD9 Multi-Recombinant antibody

Catalog Number: RMX00018



Basic Information

Catalog Number: RMX00018	GenBank Accession Number: NM_001769.4	Purification Method: N/A
Concentration: 1000 µg/ml	GeneID (NCBI): 928	Recommended Dilutions: WB 1:1000-1:8000 IHC 1:500-1:2000 IF/ICC 1:50-1:500
Source: Rabbit	UNIPROT ID: P21926	
Isotype: IgG	Full Name: CD9 molecule	
	Calculated MW: 25 kDa	
	Observed MW: 23-30 kDa	

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA	Positive Controls: WB : A431 cells, LO2 cells, human placenta tissue IHC : human ovary cancer tissue, IF/ICC : MCF-7 cells,
Species Specificity: human	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

The cell-surface molecule CD9, a member of the transmembrane-4 superfamily, interacts with the integrin family and other membrane proteins, and is postulated to participate in cell migration and adhesion. Expression of CD9 enhances membrane fusion between muscle cells and promotes viral infection in some cells (PMID:10459022). It is often used as a mesenchymal stem cell marker (PMID:18005405). The CD9 antigen appears to be a 227-amino acid molecule with four hydrophobic domains and one N-glycosylation site (PMID: 1840589). This antibody detects bands of 23-30 kDa, it may be due to the difference of glycosylations (PMID: 8701996).


Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage


For technical support and original validation data for this product please contact:
T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with RMX00018 (CD9 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Methanol) fixed MCF-7 cells using CD9 antibody (RMX00018) at dilution of 1:200 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-2).



Immunohistochemical analysis of paraffin-embedded human ovary cancer tissue slide using RMX00018 (CD9 antibody) at dilution of 1:1000 (under 20x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).