

# Safety Data Sheet according to Regulation (EU) 2020/878 (REACH)

Version: 2 Replaces version: 1 Revision date: 03.10.2024 from: 11.11.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier **MDM4/HDMX-Trap Agarose (hta)**

1.2. Relevant ide Relevant identified Uses advised agai	d uses: Laboratory		re and uses advised a	gainst
1.3. Details of the Manufacturer ChromoTek GmbH	e supplier of the s	-	+49 89 124 148 810	
Fraunhoferstr. 1 D 82152	Planegg-Martinsried	Telefax:	+49 89 124 148 811	
<b>Supplier</b> ChromoTek GmbH		Talauhana	10 00 101 110 010	
Fraunhoferstr. 1 D 82152	Planegg-Martinsried	Telefax:	+49 89 124 148 810 +49 89 124 148 811	
Information conta ChromoTek GmbH		Information telephone Information telefax mail (competent person) Website	+49 89 124 148 811	
<b>1.4. Emergency</b> f Giftnotrufzentrale M	telephone number lünchen	r	+49 89 19 240	
SECTION 2: Haz	ards identificatior	ı		
<b>2.1. Classificatio</b> Regulation (EC) No Flam. Liq. 2, H225	n of the substanc 1272/2008:	e or mixture		
2.2. Label eleme Classification acc Hazard pictogram	ording to Regulation	(EC) No 1272/2008 [CLP]		
Signal word: Hazard statement	GHS02 Danger <b>s</b> :			
EN – 2023.04b				Page 1 / 9

Safety Data Sheet according to Regulation (EU) 2020/878 MDM4/HDMX-Trap Agarose (hta)

Precautionary statements:         P210       Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.         P233       Keep container tightly closed.         P240       Ground and bond container and receiving equipment.         P241       Use explosion-proof [electrical/ventilating/lighting] equipment.         P242       Use non-sparking tools.         P243       Take action to prevent static discharges.         P280       Wear protective gloves/protective clothing/eye protection/face protection.         P303+361+353       IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].         P403+235       Store in a well-ventilated place. Keep cool.         P501       Dispose of contents/container.	H225	Highly flammable liquid and vapour.
smoking.P233Keep container tightly closed.P240Ground and bond container and receiving equipment.P241Use explosion-proof [electrical/ventilating/lighting] equipment.P242Use non-sparking tools.P243Take action to prevent static discharges.P280Wear protective gloves/protective clothing/eye protection/face protection.P303+361+353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].P403+235Store in a well-ventilated place. Keep cool.	Precautionary	v statements:
<ul> <li>P240 Ground and bond container and receiving equipment.</li> <li>P241 Use explosion-proof [electrical/ventilating/lighting] equipment.</li> <li>P242 Use non-sparking tools.</li> <li>P243 Take action to prevent static discharges.</li> <li>P280 Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].</li> <li>P403+235 Store in a well-ventilated place. Keep cool.</li> </ul>	P210	
<ul> <li>P241 Use explosion-proof [electrical/ventilating/lighting] equipment.</li> <li>P242 Use non-sparking tools.</li> <li>P243 Take action to prevent static discharges.</li> <li>P280 Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].</li> <li>P403+235 Store in a well-ventilated place. Keep cool.</li> </ul>	P233	Keep container tightly closed.
<ul> <li>P242 Use non-sparking tools.</li> <li>P243 Take action to prevent static discharges.</li> <li>P280 Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].</li> <li>P403+235 Store in a well-ventilated place. Keep cool.</li> </ul>	P240	Ground and bond container and receiving equipment.
<ul> <li>P243 Take action to prevent static discharges.</li> <li>P280 Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].</li> <li>P403+235 Store in a well-ventilated place. Keep cool.</li> </ul>	P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
<ul> <li>P280 Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].</li> <li>P403+235 Store in a well-ventilated place. Keep cool.</li> </ul>	P242	Use non-sparking tools.
<ul> <li>P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].</li> <li>P403+235 Store in a well-ventilated place. Keep cool.</li> </ul>	P243	Take action to prevent static discharges.
[or shower]. P403+235 Store in a well-ventilated place. Keep cool.	P280	Wear protective gloves/protective clothing/eye protection/face protection.
P403+235 Store in a well-ventilated place. Keep cool.	P303+361+35	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
· · · · · · · · · · · · · · · · · · ·		[or shower].
P501 Dispose of contents/container.	P403+235	Store in a well-ventilated place. Keep cool.
	P501	Dispose of contents/container.

## Special labelling of particular preparations:

none

## 2.3. Other hazards

Not known

## **SECTION 3: Composition / information on ingredients**

## 3.1. Substances

not applicable

## 3.2. Mixtures

MDM4/HDMX-Trap Agarose (hta) is a mixture with, among others, the following ingredients and other non-hazardous admixtures in aqueous solution

#### Composition/information on ingredients

Substance:	CAS-No.:	REACH-no.:	Concentration:	Classification: EC 1272/2008 (CLP):	M, ATE, Note
Ethanol	64-17-5	01-2119457610-43-0000	20 %	Flam. Liq. 2, H225 Eye Irrit. 2, H319	M = 0

(Full text of H- and EUH-statements: see section 16.)

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General information:	In case of accident or unwellness, seek medical advice immediately
In case of inhalation:	No special measures are necessary. Consult an ophthalmologist.
Following skin contact:	In case of skin irritation, consult a physician.
After eye contact:	In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if problems persist.
After ingestion:	No special measures are necessary. Consult an ophthalmologist.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms Nausea. vomiting. Danger Depression of the central nervous system. unconsciousness.

## **4.3. Indication of any immediate medical attention and special treatment needed** Let water be drunken in little sips (dilution effect). Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable

Unsuitable

Water fog. alcohol resistant foam. dry extinguishing powder. Carbon dioxide extinguishing media (CO2). High power water jet. extinguishing media

## 5.2. Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air.

## 5.3. Advice for firefighters

#### **General information**

Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### Special protective equipment for fire-fighters:

In case of fire: Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Remove all sources of ignition. Remove persons to safety. Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Treat the recovered material as prescribed in the section on waste disposal. Avoid generation of dust. Clear contaminated areas thoroughly. Wash with plenty of water.

#### 6.4. Reference to other sections

See protective measures under point 7 and 8.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin and eyes.

#### Precautions against fire and explosion: Usual measures for fire prevention.

## 7.2. Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

## Hints on joint storage

Do not store together with: Oxidizing agents.

## 7.3. Specific end use(s)

Observe instructions for use.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### occupational exposure limit value

Substance:	CAS-No.:		Source:	exposure limit	exposure limit	Limitation of exposure peaks:	Remark:
Ethanol	64-17-5	EN	TRGS 900	500	960	2(II)	DFG, Y
		EN	Gestis International Limit Values	1000	1920		

#### Substance with a common (EC) occupational exposure limit value.

		<u> </u>				
Substance:	CAS-No.:	Source:	Occupational	Occupational	Limitation of	Remark:
			exposure limit	exposure limit	exposure	
			value:[ppm]	value:[mg/m <sup>3</sup> ]	peaks:	

## DNEL-/PNEC-values

Substance:	CAS-No.:	DNEL/DMEL

PINEC Value		
Substance:	CAS-No.:	PNEC

#### Additional information

none

## 8.2. Exposure controls

#### Occupational exposure controls:

Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### General protection and hygiene measures:

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Apply skin care products after work. Wash contaminated clothing prior to re-use.

#### Personal protection equipment

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

#### **Respiratory protection**

Respiratory protection necessary at: Formation of aerosol. gas filtering equipment (EN 141).

#### Hand protection

Tested protective gloves are to be worn: DIN-/EN-Norms: EN ISO 374 Suitable material: Butyl rubber. FKM (fluororubber).

#### Eye/face protection

Tightly sealed safety glasses.

#### Body protection:

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). Only wear fitting, comfortable and clean protective clothing. Barrier creams are not substitutes for body protection.

#### Environmental exposure controls

refer to chapter 7. No further action is necessary.

#### **Consumer exposure controls** refer to chapter 7. No further action is necessary.

## Exposure Scenario: none

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance Physical state: Colour: Odour: Odour threshold:	Suspension No data available No data available No data available			
Safety relevant basis data Melting point/freezing point: Initial boiling point and boiling range: Flammability:	parameter	Value	unit	<b>Remark</b> No data available No data available No data available
lower flammability or explosive limits: Upper flammability or explosive limits: Flash point:		ca 35	°C	not applicable
Ignition temperature: Decomposition temperature: pH: Kinematic viscosity: Water solubility (g/L): Partition coefficient: n-		<b>Ca</b> 35	C	No data available not applicable No data available No data available No data available
octanol/water: Vapour pressure: Density: Relative density: Particle properties:				No data available No data available No data available

## 9.2. Other information

There are no data available on the mixture itself.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

none

## 10.2. Chemical stability

With proper storage and handling the product is stable.

## 10.3. Possibility of hazardous reactions

No data available

## 10.4. Conditions to avoid

Heat. UV radiation/sunlight.

## 10.5. Incompatible materials

Oxidizing agent Reducing agent. Alkalis (alkalis). Alkali metals.

#### 10.6. Hazardous decomposition products

Pyrolysis products, toxic. Carbon dioxide. Carbon monoxide.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes within the meaning of Regulation (EC) No. 1272/2008

Data apply to the main component.

M-factor:	-	Acute toxicity (dermal):	-
Acute toxicity (oral):	-	Acute toxicity (inhalative):	-

#### Acute toxicity

Substance:	CAS-No.:	Toxicological information
Ethanol	64-17-5	LD50 oral (rat) 7060 mg/kg
		LC50 inhalation (rat, 4 h) 51 mg/L
		LD50 dermal (rabbit) > 2000 mg/kg
		NOAEL STOT-RE oral (rat, 90 days, liver) 1730 mg/kg kg/d
		NOAEL STOT-RE inhalative (rat, 21 days) > 20 mg/L

#### Skin corrosion/irritation:

slightly irritant but not relevant for classification.

#### Serious eye damage/irritation:

slightly irritant but not relevant for classification.

#### Respiratory or skin sensitisation:

No information available.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity: No indications of human carcinogenicity exist. Germ cell mutagenicity: No indications of human carcinogenicity exist. Reproductive toxicity: No indications of human reproductive toxicity exist.

#### STOT-single exposure:

No information available.

#### STOT-repeated exposure:

none

#### Aspiration hazard Not an irritant.

Not an imtant.

### Additional information

none

## **11.2. Information about other hazards 11.2.1 Endocrine disrupting properties**

No information available. **11.2.2 Other Information** none

## **SECTION 12: Ecological information**

## 12.1. Toxicity

The information about ecology refers to the main components.

#### Ecotoxicity

Substance:	CAS-No.:	Ecotoxicity
Ethanol	64-17-5	LC50 (fish, 96 h) 11000 mg/l EC50 (Great Water flea, 48 h) 12340 mg/L
		EC50 (algae, 72 h) 11,5 mg/l

## 12.2. Persistence and degradability

Product is biodegradable.

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

## 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

This substance does not meet the criteria for classification as PBT or vPvB.

## 12.6 Endocrine disruptive effect

No known endocrine disrupting properties

## 12.7. Other adverse effects

none

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## Appropriate disposal/Product:

Dispose of waste according to applicable legislation.

#### Appropriate disposal / Package

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### List of proposed waste codes / waste designations according to EWC / AVV

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

## **SECTION 14: Transport information**

#### 14.1. UN number UN No.:

1170

14.2. UN proper shipping Land transport (ADR/RID) ETHANOL (ETHYLALKOHO		LÖSUNG (ETHYLA	LKOHOL, LÓ	ÖSUNG)	
<b>Sea transport (IMDG), Air t</b> ETHANOL (ETHYL ALCOHO			LCO- HOL S	SOLUTION)	
14.3. Transport hazard cla Hazard label(s) / Label:	ass(es) 3	Classification c Code:	ode: / Class	sification	F1
14.4. Packing group Packing group/ Packing Gr	oup:	II			
14.5. Environmental haza	rds				
ADR/RID / IMDG / ICAO-TI / IATA-DGR: Marine pollutant:		Yes	No X X		
14.6. Special precautions Land transport (ADR/RID) transport category: Special provisions:	<b>for user</b> 2 144, 601	tunnel restriction Limited quantity		D/E 1 L	
Sea transport (IMDG) EmS-No: F-E, S-D Special provisions:	Limited o	juantity (LQ): 1 L			
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Remark none					

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU legislation

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).

none

Regulation (EC) No 2037/2000 concerning materials, which cause damage to the ozone layer. none

Regulation (EC) No. 648/2004 (Detergents regulation) none

#### **National regulations**

Observe in addition any national regulations!

## **Restrictions of occupation**

none

# Other regulations, restrictions and prohibition regulations none

## 15.2. Chemical Safety Assessment

For this preparation a chemical safety assessment has been carried out. Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Relevant H- and EUH-phrases (Number and full text): Hazard statements

H225 Highly flammable liquid and vapour.H319 Causes serious eye irritation.

## Training advice none

## Recommended restrictions of use:

refer to chapter 1.

#### Further remarks:

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storag

#### **Documentation of changes:**

none

#### **Key literature references and sources for data** Data arise from reference works and literature.

## Abbreviations and acronyms

none