

For Research Use Only

Nano-Secondary® anti-mouse IgG2b, recombinant VHH, Alexa Fluor® 488 [CTK0105, CTK0106]

Catalog Number: sms2bAF488-1

2 Publications



www.ptgcn.com

Basic Information

Catalog Number:
sms2bAF488-1

Applications:
IF, WB

Host:
Alpaca

Conjugate:
Alexa Fluor® 488

Type:

Mixture of 2 monoclonal Nanobodies

Class:

Recombinant

RRID:

AB_2827581

Purification Method:

Recombinant expression, affinity purification
IMAC

Description

Nano-Secondary® anti-mouse IgG2b, Fc-specific recombinant VHH is an anti-mouse IgG subclass specific antibody. This secondary antibody product consists of Nanobodies that bind to mouse IgG2b with high affinity & specificity.

Species Reactivity

Mouse IgG2b Fc-fragment

No cross-reactivity: goat, guinea pig, rabbit, rat, sheep, human, macaque serum proteins, mouse IgG1, IgG2a, IgG2c, IgG3

Physical State

Liquid

Suggested Dilution

Immunofluorescence 1:1,000
Western blot 1:1,000

Affinity (K_D)

CTK0105: K_D = 5 nM, CTK0106: K_D = 0.2 nM

Storage

Storage:

Store at -20°C short term or -80°C long term. Aliquot upon delivery. Avoid freeze-thaw cycles.

Storage Buffer:

10 mM HEPES pH 7.0, 500 mM NaCl, 5 mM EDTA, Preservative: 0.09 % Sodium azide

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: www.ptgcn.com

This product is exclusively available under
Proteintech Group brand and is not available
to purchase from any other manufacturer.


Selected Validation Data



Anti-mouse IgG2b Nano-Secondary: Well-defined and characterized immunostaining. Primary anti-mouse IgG2b antibody (grey) with 2X2 monoclonal mouse Fc- specific Nanobodies (green) bound. In total, 8 fluorophores (red stars) label the mouse IgG2b primary antibody.



One-step immunostaining is the simultaneous incubation of mouse IgG2b primary antibody and anti-mouse IgG2b Nano-Secondary. This method reduces incubation and hands-on time. Simultaneous incubation also supports multiplexing, tissue penetration, and cell staining for flow cytometry.



Dissociation constant K_d and affinity.